

Mentholated Roll-On

Sample ID: 2501DML0058.0202

Strain: Mentholated Roll-On

Matrix: Topical

Type: Other

Sample Size: 1 units; Batch:

Amended Notes:

Produced:

Collection Date/Time: 01/17/2025 08:19

Harvest/Process Lot #:

Completed: 01/20/2025

Batch#: 2412011

Client

CAN TEK LABS

Lic. #

8107 S 1-35 Service RD

Oklahoma City, OK 73149



<LOQ

Total THC

1.16%

Total CBD

1.32%

Total Cannabinoids

Summary

Batch
CannabinoidsComplete
Complete

Cannabinoids

Complete

Analyte	LOQ	Result	Result	Analyte	LOQ	Result	Result
	%	%	mg/g		%	%	mg/g
CBD	0.00	1.16	11.6	CBN	0.00	<LOQ	<LOQ
CBG	0.00	0.15	1.5	Δ 8-THC	0.00	<LOQ	<LOQ
CBC	0.00	<LOQ	<LOQ	Δ 9-THC	0.00	<LOQ	<LOQ
CBCa	0.00	<LOQ	<LOQ	THCa	0.00	<LOQ	<LOQ
CBDa	0.00	<LOQ	<LOQ	THCV	0.00	<LOQ	<LOQ
CBDVa	0.00	<LOQ	<LOQ	THCVa	0.00	<LOQ	<LOQ
CBGa	0.00	<LOQ	<LOQ	CBDV	0.00	0.00	0.0
				Total		1.32	13.2

Date Tested: 01/20/2025

Total THC = THCa * 0.877 + d9-THC. Total CBD = CBDa * 0.877 + CBD. The reported results are based on a sample weight with the applicable moisture content for that sample.

Analysis Performed on Liquid Chromatography -Tandem Mass Spectrometry

Ben Cortez
Laboratory DirectorConfident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

NR = Not reported; ND = Not detected; LOQ = Limit of Quantitation; ULOQ = Upper Limit of Quantitation; CFU = Colony forming units per 1 gram; ppm = parts per million, ppb = parts per billion, mg/g = milligrams per gram. This product has been tested by Demeter OK Laboratory LLC d/b/a METIS in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. METIS makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of METIS. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Measurement Uncertainty (MU) is not used when making statements of conformity. For Cannabinoid analysis by LC-MS/MS, MU equals $\pm [0.0706 * (\text{Reported Value})]$. All other MU is available upon request. METIS is ISO 17025:2017 accredited by A2LA, certificate number 5306.01